



**VENTILATION SOLUTIONS**



# MMP Designer series

**Elegant & Stylish**

Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal






# MMP SERIES

## Trickle Impregnation Technology

- Sealed motor against dust and moisture
- High temperature resistant electric motor
- Maximum isolation characteristics
- Longlivity of the electric motor



## Extractor Fans

**MMP Series** – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.

These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120 mm air ducts or pipes through a special adapter.

## Safety

The MMP Series fans are made of high-quality and harmless materials, and they comply with noise and fire safety standards.

The protection degree of the built-in electric motor is IP 24, and the degree of the high airflow motor is IP 56 which enables the fan to normally operate in high humidity environment. It is possible to equip the fans with back shutter, timer, humidity and light sensors, and built-in LED lighting.

The fans are connected to single-phase grid by a switch or dimmer to control the speed (excluding UE models). Fans can be custom manufactured for other power supply voltages.

Low voltage LV 12V models, guaranteeing high safety level, could be mounted near the shower area (zone 1 of the scheme) or connected to shower cabins.

## Energy-efficient

**MMP UE** - Energy-efficient low-noise fans with IP X5 protection degree and a flow rate of up to 85m<sup>3</sup>/h and 100m<sup>3</sup>/h which consume only 5,5W/h.




Series with double capsulated ball bearings NSK Japan which guarantee 30 000 hours of continuous operation.

# MM P SERIES


## MM PSC 100 / MATT



### Dimensions /mm/



### Performance curves



## Technical characteristic

Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Maximum Flow Rate	Consumed power	Maximum Flow rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	<b>No</b>	<b>No</b>	Hz / V	min <sup>-1</sup>	W	m <sup>3</sup> /h	IP	dB	Zone	°C					
MMP SC 100	-	8466	50 / 230	2430	13	105	24	29	2,3	+40	●				
MMP SC 100T	-	9906										●			
MMP SC 100HT	-	9890										●	●		
MMP SC 100LT	-	-										●		●	
MMP SC 100LED	-	-										●			●
MMP SC 100LV	-	-	50 / 12	2430	13	105	24	29	1,2,3	+40	●				
MMP SC 100LV T	-	-										●			
MMP SC 100LV HT	-	-										●	●		
MMP SC 100LV LT	-	-										●		●	
MMP SC 100LV LED	-	-										●			●



The body and front panels of all MMP fan models are available as an accessory.

## Legend

MMP SC	Series name	LT	Light Relay & Timer	2S	2 Speed Fan
100	Size	LED	LED Light	C	Back Shutter /Accessory/
T	Timer	LV	Low Voltage Fan 12V		Products without a code are custom made
HT	Humidistat & Timer	UE	Noiseless - Energy Efficient		

# MM P SERIES


## MM PS 100 / MATT




**LONG life**  
30.000h



### Dimensions /mm/



### Performance curves



### Technical characteristic

Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Maximum Flow Rate	Consumed power	Maximum Flow rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light	Noiseless Energy Efficient
	<b>No</b>	<b>No</b>	Hz / V	min <sup>-1</sup>	W	m <sup>3</sup> /h	IP	dB	Zone	°C						
MMP S 100	-	4895	50 / 230	2750	18	169	56	32	2,3	+60	•					
MMP S 100T	-	9838									•					
MMP S 100HT	-	9692									•	•				
MMP S 100LT	-	-										•		•		
MMP S 100LED	-	-									•				•	
MMP S 100UE	-	9302	50 / 230	2020	5,5	100	X5	25	2,3	+60						•
MMP S 100LV B	-	-	50 / 12	2750	18	169	56	32	1,2,3	+60	•					
MMP S 100LV T	-	-										•				
MMP S 100LV HT	-	-									•	•				
MMP S 100LV LT	-	-										•		•		
MMP S 100LV LED	-	-									•				•	



The body and front panels of all MMP fan models are available as an accessory.

### Legend

MMP S	Series name	LT	Light Relay & Timer	2S	2 Speed Fan
100	Size	LED	LED Light	C	Back Shutter /Accessory/
T	Timer	LV	Low Voltage Fan 12V		Products without a code are custom made
HT	Humidistat & Timer	UE	Noiseless - Energy Efficient		

HEAT RECOVERY

DOMESTIC FANS

SAUNA FANS

AXIAL FANS

DUCT FANS

INDUSTRIAL FANS

ACCESSORIES




# MM P SERIES


## MM PEC 100 / MATT



### Dimensions /mm/



### Performance curves



## Technical characteristic

Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Maximum Flow Rate	Consumed power	Maximum Flow rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light	
	No	No	Hz / V	min <sup>-1</sup>	W	m <sup>3</sup> /h	IP	dB	Zone	°C						
MMP EC 100	-	8459	50 / 230	2430	13	105	24	29	2,3	+40	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
MMP EC 100T	-	-									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
MMP EC 100HT	-	-									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
MMP EC 100LT	-	-									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
MMP EC 100LED	-	-									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
MMP EC 100LV	-	-	50 / 12	2430	13	105	24	29	1,2,3	+40	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
MMP EC 100LV T	-	-									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
MMP EC 100LV HT	-	-									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
MMP EC 100LV LT	-	-									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
MMP EC 100LV LED	-	-									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



The body and front panels of all MMP fan models are available as an accessory.

## Legend


MMP EC	Series name	LT	Light Relay & Timer	2S	2 Speed Fan
100	Size	LED	LED Light	C	Back Shutter /Accessory/
T	Timer	LV	Low Voltage Fan 12V		Products without a code are custom made
HT	Humidistat & Timer	UE	Noiseless - Energy Efficient		

# MM P SERIES


## MM PE 100 / MATT



### Dimensions /mm/



### Performance curves



### Technical characteristic

Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Maximum Flow Rate	Consumed power	Maximum Flow rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light	Noiseless Energy Efficient	
	<b>No</b>	<b>No</b>	Hz / V	min <sup>-1</sup>	W	m <sup>3</sup> /h	IP	dB	Zone	°C							
MMP E 100	-	4710	50 / 230	2750	18	169	56	32	2,3	+60	●						
MMP E 100T	-	-										●					
MMP E 100HT	-	4711										●	●				
MMP E 100LT	-	-										●		●			
MMP E 100LED	-	-															●
MMP E 100UE	-	9128	50 / 230	2020	5,5	100	X5	25	2,3	+60						●	
MMP E 100LV B	-	-	50 / 12	2750	18	169	56	32	1,2,3	+60	●						
MMP E 100LV T	-	-										●					
MMP E 100LV HT	-	-										●	●				
MMP E 100LV LT	-	-										●		●			
MMP E 100LV LED	-	-															●



The body and front panels of all MMP fan models are available as an accessory.

### Legend

MMP E	Series name	LT	Light Relay & Timer	2S	2 Speed Fan
100	Size	LED	LED Light	C	Back Shutter /Accessory/
T	Timer	LV	Low Voltage Fan 12V		Products without a code are custom made
HT	Humidistat & Timer	UE	Noiseless - Energy Efficient		

HEAT RECOVERY

DOMESTIC FANS

SAUNA FANS

AXIAL FANS

DUCT FANS

INDUSTRIAL FANS

ACCESSORIES



**White sheen Glass**




MMP SC	105m <sup>3</sup> /h	9319
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	9494
MMP S T	169m <sup>3</sup> /h	5469
MMP S HT	169m <sup>3</sup> /h	9708
MMP S UE	100m <sup>3</sup> /h	9623

**Black sheen - Glass**




MMP SC	105m <sup>3</sup> /h	9036
MMP SC T	105m <sup>3</sup> /h	9920
MMP SC HT	105m <sup>3</sup> /h	9913
MMP S	169m <sup>3</sup> /h	4826
MMP S T	169m <sup>3</sup> /h	4635
MMP S HT	169m <sup>3</sup> /h	9722
MMP S UE	100m <sup>3</sup> /h	9234

**Black matt - Glass**




MMP SC	105m <sup>3</sup> /h	9029
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4857
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	9715
MMP S UE	100m <sup>3</sup> /h	9265

**White Ellipse sheen - Glass**




MMP EC	105m <sup>3</sup> /h	9395
MMP EC T	105m <sup>3</sup> /h	-
MMP EC HT	105m <sup>3</sup> /h	-
MMP E	169m <sup>3</sup> /h	4864
MMP E T	169m <sup>3</sup> /h	-
MMP E HT	169m <sup>3</sup> /h	9739
MMP E UE	100m <sup>3</sup> /h	9272

**Black Ellipse sheen - Glass**




MMP EC	105m <sup>3</sup> /h	9401
MMP EC T	105m <sup>3</sup> /h	-
MMP EC HT	105m <sup>3</sup> /h	-
MMP E	169m <sup>3</sup> /h	4871
MMP E T	169m <sup>3</sup> /h	-
MMP E HT	169m <sup>3</sup> /h	9746
MMP E UE	100m <sup>3</sup> /h	9289

**Black Ellipse matt - Glass**



MMP EC	105m <sup>3</sup> /h	1009
MMP EC T	105m <sup>3</sup> /h	-
MMP EC HT	105m <sup>3</sup> /h	-
MMP E	169m <sup>3</sup> /h	4888
MMP E T	169m <sup>3</sup> /h	-
MMP E HT	169m <sup>3</sup> /h	-
MMP E UE	100m <sup>3</sup> /h	9296

**INOX - Glass**



MMP SC	105m <sup>3</sup> /h	9043
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4772
MMP S T	169m <sup>3</sup> /h	9821
MMP S HT	169m <sup>3</sup> /h	9852
MMP S UE	100m <sup>3</sup> /h	9180

**Asphalt - Glass**



MMP SC	105m <sup>3</sup> /h	9067
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4727
MMP S T	169m <sup>3</sup> /h	9814
MMP S HT	169m <sup>3</sup> /h	9753
MMP S UE	100m <sup>3</sup> /h	9135

**Graphite - Glass**




MMP SC	105m <sup>3</sup> /h	9050
MMP SC T	105m <sup>3</sup> /h	9944
MMP SC HT	105m <sup>3</sup> /h	9937
MMP S	169m <sup>3</sup> /h	4758
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	9166




The codes are for fans with back shutter

**Water Effect INOX Glass**



MMP SC	105m <sup>3</sup> /h	9876
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	9524
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	0910?

**Water Effect Asphalt Glass**




MMP SC	105m <sup>3</sup> /h	9883
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	9517
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	1924

**Ecru - Glass**




MMP SC	105m <sup>3</sup> /h	9357
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4789
MMP S T	169m <sup>3</sup> /h	5470
MMP S HT	169m <sup>3</sup> /h	9760
MMP S UE	100m <sup>3</sup> /h	9197

**Gold - Glass**




MMP SC	105m <sup>3</sup> /h	9340
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4765
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	9173

**White & Silver - Glass**



MMP SC	105m <sup>3</sup> /h	9333
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4741
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	9159

**White & Gold - Glass**



MMP SC	105m <sup>3</sup> /h	9326
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4734
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	9142

**Mosaic Beige - Glass**




MMP SC	105m <sup>3</sup> /h	9364
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4796
MMP S T	169m <sup>3</sup> /h	9845
MMP S HT	169m <sup>3</sup> /h	9869
MMP S UE	100m <sup>3</sup> /h	9203

**Black & Gold - Glass**



MMP SC	105m <sup>3</sup> /h	9371
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4833
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	9241

**Black & Silver - Glass**




MMP SC	105m <sup>3</sup> /h	9388
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4840
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	9258



The codes are for fans with back shutter




**Silver - Metal**



MMP SC	105m <sup>3</sup> /h	9074
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4819
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	9227

**Gold - Metal**




MMP SC	105m <sup>3</sup> /h	9081
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	4802
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	9210

**Chrome - Metal**




MMP SC	105m <sup>3</sup> /h	8480
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	1306
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	1603

**Chrome - Metal**



MMP EC	105m <sup>3</sup> /h	8473
MMP EC T	105m <sup>3</sup> /h	-
MMP EC HT	105m <sup>3</sup> /h	-
MMP E	169m <sup>3</sup> /h	9609
MMP E T	169m <sup>3</sup> /h	-
MMP E HT	169m <sup>3</sup> /h	-
MMP E UE	100m <sup>3</sup> /h	9586

**05 - Metal**




MMP SC	105m <sup>3</sup> /h	8633
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	9593
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	6035

**05 White - Plastic**




MMP EC	105m <sup>3</sup> /h	8428
MMP EC T	105m <sup>3</sup> /h	-
MMP EC HT	105m <sup>3</sup> /h	-
MMP E	169m <sup>3</sup> /h	-
MMP E T	169m <sup>3</sup> /h	-
MMP E HT	169m <sup>3</sup> /h	-
MMP E UE	100m <sup>3</sup> /h	6028

**INOX - Plastic**




MMP EC	105m <sup>3</sup> /h	8305
MMP EC T	105m <sup>3</sup> /h	-
MMP EC HT	105m <sup>3</sup> /h	-
MMP E	169m <sup>3</sup> /h	-
MMP E T	169m <sup>3</sup> /h	-
MMP E HT	169m <sup>3</sup> /h	-
MMP E UE	100m <sup>3</sup> /h	-

**Gold - Plastic**



MMP EC	105m <sup>3</sup> /h	8329
MMP EC T	105m <sup>3</sup> /h	-
MMP EC HT	105m <sup>3</sup> /h	-
MMP E	169m <sup>3</sup> /h	1702
MMP E T	169m <sup>3</sup> /h	-
MMP E HT	169m <sup>3</sup> /h	-
MMP E UE	100m <sup>3</sup> /h	1757

**Silver - Plastic**




MMP EC	105m <sup>3</sup> /h	8312
MMP EC T	105m <sup>3</sup> /h	-
MMP EC HT	105m <sup>3</sup> /h	-
MMP E	169m <sup>3</sup> /h	9418
MMP E T	169m <sup>3</sup> /h	-
MMP E HT	169m <sup>3</sup> /h	-
MMP E UE	100m <sup>3</sup> /h	1405



The codes are for fans with back shutter

**Silver Wave - Plastic**



MMP SC	105m <sup>3</sup> /h	8381
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	-
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	-

**White / Silver Wave - Plastic**




MMP SC	105m <sup>3</sup> /h	8367
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	-
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	-

**White / Ecru Wave - Plastic**



MMP SC	105m <sup>3</sup> /h	8374
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	-
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	-

**Inside Chrome  
Tile Insert**




MMP SC	105m <sup>3</sup> /h	9111
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	9487
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	5120

**White - Plastic**




MMP EC	105m <sup>3</sup> /h	8275
MMP EC T	105m <sup>3</sup> /h	8695
MMP EC HT	105m <sup>3</sup> /h	9425
MMP E	169m <sup>3</sup> /h	9791
MMP E T	169m <sup>3</sup> /h	-
MMP E HT	169m <sup>3</sup> /h	5007
MMP S UE	100m <sup>3</sup> /h	1740

**Black - White Brocade**




MMP SC	105m <sup>3</sup> /h	-
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	0429
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	-

**Black - Colour Brocade**




MMP C	105m <sup>3</sup> /h	-
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	0436
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	-

**White - Colour Brocade**



MMP SC	105m <sup>3</sup> /h	-
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	0412
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	-

**Inox - Colour Brocade**



MMP SC	105m <sup>3</sup> /h	-
MMP SC T	105m <sup>3</sup> /h	-
MMP SC HT	105m <sup>3</sup> /h	-
MMP S	169m <sup>3</sup> /h	0443
MMP S T	169m <sup>3</sup> /h	-
MMP S HT	169m <sup>3</sup> /h	-
MMP S UE	100m <sup>3</sup> /h	-



The codes are for fans with back shutter





## Factory

3, Malak Iskar Str.  
2180 Etropole - Bulgaria  
**E-mail:** [mmotors@mmotors.bg](mailto:mmotors@mmotors.bg)

## Greece

**MMOTORS** Ε.Π.Ε.  
Παναγίας Σουμελά 3, ΤΚ. 564 29  
Πολίχνη Θεσσαλονίκη  
Κινητό. +30 69 8737 2626  
[mmotors.gr@gmail.com](mailto:mmotors.gr@gmail.com)  
[mmotors.com.gr](http://mmotors.com.gr)

## United Kingdom

**The Workshop**  
32-40 Tontine Street  
Folkestone  
CT201JU  
Тел +44 (0)7751 256 426  
Email: [info@mmotors.bg](mailto:info@mmotors.bg)

## South Africa

**MMotors SA (Pty) Ltd.**  
19, 12th Avenue, Edenvale,  
Johannesburg, Gauteng  
Contact person: Ogniana Angelova  
Mob: +27 82 424 3531  
e-mail: [angelova@mmotors.bg](mailto:angelova@mmotors.bg)

## Russia

**ООО "Ммоторс-Рус"**  
Адрес: 107076 РФ, г. Москва,  
улица Бухвостова 1-я, дом 12/11,  
корпус 1  
Телефон: +7 (495) 233 9477  
E-mail: [zakaz@mmotors.ru](mailto:zakaz@mmotors.ru)  
[www.mmotors-russia.ru](http://www.mmotors-russia.ru)

## Malta

Flat 8, Block B, St. Peter's Court,  
Triq Il - Qroll, Bugibba, St. Paul's  
Bay, SPB 2550  
Mobile: 00356 79 258 253  
E-mail: [malta@mmotors.bg](mailto:malta@mmotors.bg)

## **ООО "ТК Евромаш"**

г. Москва, Петрозаводская ул.,  
д. 28, корп.4,  
телефон: +7 (495) 726 58 61  
e-mail [info@tkevromash.ru](mailto:info@tkevromash.ru)  
[www.tkevromash.ru](http://www.tkevromash.ru)

## Egypt

**New Era Plc.**  
App. 42, Building 139, Emtedad  
Ramsees 2, Nasr City, Cairo, Egypt  
Contact person: Moamen Soliman  
Mob: +20 111 119 9205  
e-mail: [neweracooperation@gmail.com](mailto:neweracooperation@gmail.com)

